

NSF PRODUCTS



NSF CATEGORY "A"
codes refer to
cleaning products.



NSF CATEGORY "H"
codes refer to
lubricants.



NSF CATEGORY "C"
codes refer to
products for use in
non-processing areas.

In 1998 the USDA discontinued their role in classifying and authorizing the use of non-food compounds.

In 1999 the National Sanitation Foundation (NSF), a not-for-profit, third-party product certifier specializing in public health and safety, revived the USDA authorization program, which is now fee-based.

NSF International has continued the responsibility of reviewing formulations and product labels and publicly listing approved compounds and ingredients.

QuestSpecialty has a number of products registered as A1, H1 and A5, and many more that are "USDA Authorized."



FOR FOOD, BEVERAGE, COSMETIC AND PHARMACEUTICAL COMPANIES or any other firm that manufactures products to be consumed or used by people, processes must be highly scrutinized for cleanliness, contamination, sanitation and quality.

Large scale manufacturing requires machinery such as pumps, mixers, tanks, hoses, pipes, chain drives and conveyor belts which face the same cleaning and lubrication tasks as in non-consumer production.

Such companies have unique cleaning challenges, not just the task of doing the job but in deciding which product to use.

NSF uses 90 categories to rate the safety of cleaning products for end use. A basic understanding of the categories will help determine which product is a good fit in a particular application, to meet the highest safety and quality standards.



A1

Product acceptable for use as a general purpose cleaner on surfaces in and around food processing areas. This product is not intended for direct food contact. Cleaning and packaging materials must be cleaned with this product prior to use. A potable water rinse is required after use. When used according to the manufacturer's instructions, the cleaner shall not leave a noticeable odor nor leave a residue.

**2031 - NU-VIEW
Concession & Food Equipment Cleaner**

- Removes Cooking Oils, Grease, Sugar, Starch & Protein Residues
- Safe for Use on Polycarbonate, Lexan & Plexiglas
 - Cleans All Types of Food Equipment
- Eliminates Oxidation Odors • NSF Approved A1 Formula

**5260 – MAIN EVENT
Food Surface Cleaner/Degreaser**

- Clinging Foam Eliminates Run-Off & Allows Product to Penetrate Grease
- Non-Flammable & Biodegradable
 - Cuts Through Grease & Oil
 - Safe on Food Contact Surfaces
- Phosphate-Free • NSF Approved A1 Formula

**5270 – LINK WISE
Food Grade Semi-Synthetic Chain Lube**

- Temperature Range 0°F - 325°F
- Resists Sling-Off & Water Washout
- Foaming Provides Deep Penetration & Lubrication of Chains, Bushings & Pins
- For All Types of Chains & Conveyors Operating in Food Environments
- NSF Approved H1 Formula

**5280 – PEN EASE
Food Grade Penetrating Oil**

- Protects Against Rust and Inhibits Corrosion
 - Penetrates & Lubricates
 - NSF Approved H1 Formula
- Non-Flammable • Odorless & Colorless

**5380 – SLIDE OUT
Dry Silicone Spray Food Grade**

- Colorless, Odorless, Non-Toxic & Heat Stable
- No Methylene Chloride • NSF Approved H1 Formula
- No Sticky Residue • Release Agent



and lubricating
ings correctly,
and where.

y of a product's
ain categories
appropriate
aintain
s.



H1

A5

General cleaner on all
ing areas, where its use
tact. All food products
removed or protected
of cleaned surfaces is
rding to manufacturer's
l neither exhibit a
visible residue.

Product is acceptable as a lubricant with incidental food contact for use in and around food processing areas. May be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment where there is a potential exposure of the lubricated part to food. When used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping as required to leave the surface effectively free of any substance which could be transferred to food being processed.

Product is acceptable for use as a cleaner on floors and walls in sub-freezing temperatures in and around food processing areas. When used in areas with sub-freezing temperatures, potable water rinsing is not required following use, provided that the solution and solubilized soil are effectively removed by wiping or wet vacuuming.

5400 – PURITY
Aerosol Food Grade Lubricant & Protectant

- A Sanitary Means of Lubricating Dairy & Food Processing Equipment
- Non-Toxic, Odorless, Tasteless & Silicone Free
- Operating Range 0°F–300°F
- NSF Approved H1 Formula

5770 – EZ LUBE
Aerosol Food Grade White Grease

- Resists Extreme Pressure, Corrosion & Water Washout
- Temperature Range of -40° – 550°F
- Calcium Sulfonate Based Formula
- Lubricates—Reducing Friction & Wear
- Resists Throw-Off
- NSF Approved H1 Formula

6220 – PURITY
Liquid Food Grade Lubricant & Protectant

- Petroleum White Mineral Oil
- Non-Toxic, Odorless & Tasteless
- Lubricates Food Prep Appliances & Machinery
- Excellent Metal Cleaner & Polish
- NSF Approved H1 Formula

6664 – GLACIER CLEAN
Heavy Duty Freezer Cleaner

- Effective to -20°F
- Removes Ice
- Odorless, Ready to Use Formula
- NSF Approved A5 Formula
- Safe on Concrete, Plastic & Most Metals

L108 – EZ LUBE
Food Grade White Grease

- Lubricates, Reducing Friction & Wear
- Resists Extreme Pressure, Corrosion & Water Washout
- Temperature Range of -40° – 500°F
- NSF Approved H1 Formula
- Calcium Sulfonate Based
- Resists Throw-Off



Scan QR Code to Check Out
All Products, Tech Sheets &
SDS's on Our Website!

*Any product that was authorized by USDA before 1998
can still use the "USDA authorized" claim.*

**USDA Authorized Products in the
QuestSpecialty Line:**

Cleaners/Degreasers:

2070 WHAM
Foaming Citrus Cleaner & Degreaser

2640 ZIP
Citrus Cleaner & Degreaser

2660 DYNAMITE
Butyl Cleaner

2670 POWER SOLV
Butyl Cleaner

2740 GETAWAY
Degreaser & Oil Dispersant

5000 d-GREAZ
Organic Solvent Degreaser

6130 TAR AWAY
Heavy-Duty Tar, Grease & Oil Remover

8250 CRUNCH Organic
Gel Engine Degreaser

Lubricants:

5340 MR. MECHANIC
Lubricant

5360 AQUA-LUB
Lubricant

5420 GEAR LUBE EF
Open Gear Lubricant

5500 PIERCE
Penetrating Lubricant

5720 BODACIOUS
High Pressure, Non-Melt Red Grease



P.O. Box 624 • Brenham, TX 77834
800-231-0454 • www.questspecialty.com • info@questspecialty.com