Safety Data Sheet Up and Away

SECTION I - IDENTIFICATION

PRODUCT IDENTIFIER: Up and Away PRODUCT CODE: 6020 RECOMMENDED USE: Degreaser RESTRICTIONS ON USE: None Known COMPANY NAME: QuestSpecialty Corporation COMPANY ADDRESS: P.O. Box 624, Brenham, TX 77834 COMPANY PHONE: 800-231-0454 EMERGENCY PHONE: 800-255-3924

SECTION II – HAZARDS IDENTIFICATION

CLASSIFICATION: Flammable Liquid: Category 3

Eye Irritant: Category 2A Skin Irritant: Category 2 Specific Target Organ Toxicity (Single Exposure): Category 2 Specific Target Organ Toxicity (Single Exposure): Category 3 Aspiration Hazard: Category 1

HAZARD STATEMENT(S): DANGER: Flammable liquid and vapor. Causes skin and serious eye irritation. May cause respiratory irritation, drowsiness or dizziness. May cause damage to organs. May be fatal if swallowed and enters airways.
This product contains the following percentage of chemicals of unknown toxicity: 0%

PRECAUTIONARY STATEMENTS: Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Keep container tightly closed. Wear protective gloves and eye protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation occurs: Get medical advice. Take off contaminated clothing and wash it before reuse. In case of fire use dry chemical, foam, or carbon dioxide. Store in a well-ventilated place. Keep cool. Dispose of contents and container in accordance with local, state, and national regulations. Wash hands thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. Do not breathe fumes, mist or spray. Do not eat, drink or smoke while using this product. Use only outdoors or in a well-ventilated area. If inhaled: Remove person to fresh air and keep comfortable for breathing. Get medical advice if you feel unwell. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. Store locked up.

For large quantities: Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

SYMBOL:



HAZARDS NOT OTHERWISE CLASSIFIED: N/A

SECTION III – COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT		
Mineral Spirits	8052-41-3	80-100%		
SECTION IV - FIRST AID MEASURES				

EYES: Remove contact lenses. Flush with water for at least 15 minutes. See a physician if irritation persists.

INGESTION: If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting.

INHALATION: Move to fresh air. If breathing is difficult, administer oxygen. If not breathing administer artificial respiration or at any sign of loss of consciousness seek immediate medical attention.

SKIN: Wash thoroughly with soap and water for 15 minutes. Seek medical attention if irritation develops.

ACUTE HEALTH HAZARDS: Inhalation: dizziness, drowsiness, weakness, and fatigue

Eye: stinging, tearing, redness

Oral: Aspiration risk

Safety Data Sheet

Up and Away

Skin: Prolonged or repeated contact may dry skin

CHRONIC HEALTH HAZARDS: May cause damage to the following organs: kidneys, liver, skin, CNS depression.

NOTE TO PHYSICIAN: If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

SECTION V – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, and alcohol foam.

UNSUITABLE EXTINGUISHING MEDIA: Water spray/stream.

SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing and NIOSH approved SCBA with full facepiece operated in positive pressure or pressure demand. Use water mist to keep material cool in fire situations.

UNUSUAL FIRE AND EXPLOSION HAZARDS: HIGHLY FLAMMABLE. Keep away from heat, sparks, open flames and other sources of ignition.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon

SECTION VI – ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.

SPILL: Clean up with non-combustible material like vermiculite, sand or earth. If many pails are opened remove ignition sources. Prevent spill from entering sewers, storm drains, and natural waterways.

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations. Containers may be hazardous when empty. RCRA STATUS: Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION VII - HANDLING AND STORAGE

HANDLING AND STORAGE: Keep container tightly closed. Use only non-sparking tools. Take precautionary measures against static discharge. Store in a well ventilated place. Keep cool. Wear protective gloves and eye protection. Store locked up. **OTHER PRECAUTIONS:** Keep out of the reach of children.

INCOMPATIBILITY: Strong oxidizers

SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Mineral Spirits	500 ppm	100 ppm

ENGINEERING CONTROLS / VENTILATION: General ventilation and local exhaust may be required to meet TLV requirements. **RESPIRATORY PROTECTION:** Wear NIOSH/MSHA approved respiratory protection if exposure limits are exceeded. PERSONAL PROTECTIVE EQUIPMENT: Safety glasses and chemical resistant gloves ADDITIONAL MEASURES: Wash hands thoroughly after handling.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear Orange Liquid **ODOR:** Mineral Spirits odor ODOR THRESHOLD: N/D **pH:** N/A MELTING POINT/FREEZING POINT: N/D INITIAL BOILING POINT AND BOILING RANGE: N/D FLASH POINT: 67°C **EVAPORATION RATE:** < 0.8 (Slow) FLAMMABILITY(solid/gas): Flammable Liquid **UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:** LOWER FLAMMABILITY LIMIT: N/D **UPPER FLAMMABILITY LIMIT: N/D** EXPLOSIVE LIMIT LOWER (%): N/D EXPLOISVE LIMIT UPPER (%): N/D VAPOR PRESSURE (mm Hg): N/D

Safety Data Sheet

Up and Away

VAPOR DENSITY (AIR=1): N/D **RELATIVE DENSITY (H2O=1):** 0.76-0.78 **SOLUBILITY(IES):** 0% in water PARTITION COEFFICIENT: n-OCTANOL/WATER (Kow): N/D AUTOIGNITION TEMPERATURE: >279.4°C (535.0°F) **DECOMPOSITION TEMPERATURE: N/D** VISCOSITY: N/D

SECTION X – STABILITY AND REACTIVITY

REACTIVITY: This product may react with strong alkalis, oxidizers, bases, and reactive metals **CHEMICAL STABILITY:** Stable POSSIBLE HAZARDOUS REACTIONS: None Known CONDITIONS TO AVOID: Avoid heat, sparks, and flames. **INCOMPATIBLE MATERIALS:** Strong oxidizers HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon

SECTION XI – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Not Established **ROUTES OF ENTRY:** Eyes, Ingestion, Inhalation, Skin **EYES:** May cause irritation. **INGESTION:** May cause gastrointestinal irritation, nausea, diarrhea, vomiting, aspiration hazard. **INHALATION:** May cause dizziness, headaches, drowsiness, collapse, death with excessive or prolonged exposure. SKIN: May cause irritation, dryness. MEDICAL CONDITION AGGRAVATED: Pre-existing disorders of the skin and respiratory system will be aggravated by over exposure. ACUTE HEALTH HAZARDS: Inhalation: dizziness, drowsiness, weakness, and fatigue Eye: stinging, tearing, redness Oral: Aspiration risk Skin: Prolonged or repeated contact may dry skin CHRONIC HEALTH HAZARDS: May cause damage to the following organs: kidneys, liver, skin, CNS depression. CARCINOGENICITY: OSHA: Not Classified ACGIH: No NTP: No IARC: No OTHER: CA Prop 65

SECTION XII – ECOLOGICAL INFORMATION

ECOTOXICITY: Not Established **PERSISTENCE AND DEGRADABILITY:** Component or components of this product are not biodegradable. BIOACCUMULATIVE POTENTIAL: This product is not expected to bioaccumulate. MOBILITY IN SOIL: This product is mobile in soil. **OTHER ADVERSE EFFECTS:** None Known

SECTION XIII – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations. Containers may be hazardous when empty. RCRA STATUS: Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION XIV - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Combustible Liquid, N.O.S. HAZARD CLASS/DIVISION: N/A UN/NA NUMBER: N/A PACKING GROUP: N/A

AIR SHIPMENT PROPER SHIPPING NAME: Petroleum Distillates N.O.S. HAZARD CLASS/DIVISION: 3

Safety Data Sheet

Up and Away

UN/NA NUMBER: UN 1268 PACKING GROUP: III

SHIPPING BY WATER:VESSEL (IMO/IMDG)PROPER SHIPPING NAME:Petroleum Distillates N.O.S.HAZARD CLASS/DIVISION:3UN/NA NUMBER:UN 1268PACKING GROUP:IIIENVIRONMENTAL HAZARDS WATER:N/A

SECTION XV - REGULATORY INFORMATION

TSCA STATUS: All Chemicals are listed or exempt. CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): None SARA 311/312 HAZARD CATEGORIES: None SARA 313 REPORTABLE INGREDIENTS: None STATE REGULATIONS: CA Prop 65: This product can expose you to chemicals including Ethylbenzene, which is known to the State of California to cause cancer, and Toluene, which is known to the State of California to cause birth defects or other reproductive harm. **INTERNATIONAL REGULATIONS:** All components are listed or exempted. **VOLATILE ORGANIC COMPOUNDS (VOC):** 99% NFPA HEALTH: **HMIS HEALTH:** 1 1 NFPA FLAMMABILITY: 2 HMIS FLAMMABILITY: 2 **NFPA REACTIVITY:** 0 **HMIS REACTIVITY:** 0 **NFPA OTHER:** None **HMIS PROTECTION:** В

SECTION XVI - OTHER INFORMATION

PREPARATION BY: Andrew Bach **DATE PREPARED:** 11/15/2013 **REVISION DATE:** 03/02/2020

N/A = Not Applicable; N/D = Not Determined

DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.