



CLOBBER

LICE, DUST MITE & BED BUG MULTI-PURPOSE INSECT SPRAY

DESCRIPTION

CLOBBER is an EPA registered, water-based, multi-purpose insect killer. Contains the synthetic pyrethroid permethrin for quick knockdown and up to four weeks residual control of crawling and flying insects. Non-staining, odorless formula controls lice, dust mites, bed bugs and many other crawling insects. Kills bed bugs and fruit flies. Kills dust mites in carpets, curtains and on upholstery and mattresses.

APPLICATIONS

Kills and controls lice, dust mites, bed bugs, fruit flies, cockroaches, mosquitoes, crickets, spiders, scorpions, fleas and ticks, houseflies, gnats, black flies, carpet beetles, clothes moths, palmetto bugs, silverfish, centipedes, garden insects and more. For use in homes, hotels/motels, airports, barns and livestock areas, kennels, and more.

FEATURES & BENEFITS

- Kills lice and their eggs on mattresses, furniture, car interiors and other non-washable items
- Kills bed bugs and fruit flies
- Will not stain water-safe fabrics, odorless
- Kills house dust mites in carpets, curtains and on upholstery and mattresses
- Controls house dust mites that may cause asthma, hay fever, rhinitis, watery eyes, sneezing

SPECIFICATIONS

FORM: Water-Based Aerosol
 ODOR: Slight Insecticidal
 COLOR: Milky
 DETERGENCY: None
 TOXICITY: 200 mg/m³
 WETTING ABILITY: Good
 STORAGE STABILITY: 1 Year+
 COLD STABILITY: 32°F
 PHOSPHATES: None
 VOC CONTENT: 15%

FLASH POINT: >200°F TCC
 FLAME EXTENSION: <18"
 SOLUBILITY IN WATER: 100%
 SPECIFIC GRAVITY: 0.95
 % VOLATILE BY VOLUME: 12.5%
 pH: 6.5 - 7.0
 PROPELLANT: Hydrocarbon
 EVAPORATION RATE: Slow
 BIODEGRADABILITY: Yes

ACTIVE INGREDIENT:
 *Permethrin 0.50%
 OTHER INGREDIENTS** : 99.50%
 100.00%

*Cis/Trans ratio: Max. 55% (+/-) cis and Min. 45% (+/-) trans.
 **Contains Petroleum Distillates

EPA REG. NO. 44446-80 EPA EST. NO. 44446-TX-1

LABEL INFORMATION

CLOBBER
 LICE, DUST MITE & BEDBUG MULTI-PURPOSE INSECT SPRAY

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

- All applicators and other handlers must wear:
- Long-sleeved shirt and long pants
 - Shoes plus socks, and
 - Chemical-resistant gloves

USER SAFETY REQUIREMENTS

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean dothing.
- User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean watermark. Do not apply when weather conditions favor drift from treated area. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE

Use Restrictions

- Do not apply as a broadcast treatment to indoor surfaces at residential sites, including nurseries, day care centers, schools, hospitals, and nursing homes.
- Except when applying to pets, do not enter or allow others to enter until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated and dried.
- Except when applying to pets, do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to pets, only protected handlers may be in the area during applications.
- Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on.
- Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.
- **This product is not for use on humans.** If lice infestations should occur on humans, use a product labeled for use on humans.

- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.
- Do not apply when food is present.
- Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.
- This product may be applied in non-food/feed areas. Non-food/feed establishment areas are areas such as garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after canning or bottling).
- Do not use in aircraft cabins.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches for baseboards, moldings & floors or 8 to 10 inches for clothing, furniture and bedding. Test product on an inconspicuous area before applying. Spray to the point of dampness, but not runoff. Over application may cause damage. Will not stain surfaces or fabrics where water alone causes no damage.

House Flies, Fruit Flies, Mosquitoes, Gnats, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources, which attract these insects. Keep nozzle in constant motion. Re-treat if infestation occurs, but not more than once every two weeks.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards, around drains and plumbing, hitting insects with spray whenever possible. Use to treat floors as a spot treatment only, hitting insects with spray whenever possible. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Re-treat if infestation occurs, but not more than once every two weeks.

Asian Lady Bird Beetles (Lady Bugs): Spray insects directly around doors, windows and areas where insects can enter the home.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks.

EXPOSED STAGES OF Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites: Spray into cracks and crevices, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks. Infested stored food products in the home should be disposed of.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves, and carpets. Apply to floors and carpets as a spot treatment only. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks.

Bed Bugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without cover. Re-treat if infestation occurs, but not more than once every two weeks.

TO CONTROL Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. Spray to the point of dampness but not runoff. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

To Control House Dust Mites (Dermatophagoides spp.): This product controls house dust mites that may cause asthma, hay fever, rhinitis, watery eyes and sneezing. One treatment lasts for up to 8 weeks. On upholstered furniture, carpets and curtains - test fabric in an inconspicuous area to insure dyes will not bleed. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray all fabric surfaces until damp. Do not use on delicate fabrics. Allow furniture to dry thoroughly before using. **On Carpets** - Spray over entire carpet until damp. Hold the nozzle approximately 12 to 18 inches from the carpet surface and apply as a spot treatment. Use an overlapping pattern to insure total coverage. After application, brush the surface of the carpet with a broom or brush to insure deep penetration. Allow carpet to dry thoroughly before reentering the treated area. Drying time can be accelerated by using a fan. **On Mattresses** - spray the top, bottom and sides of mattresses until damp, paying particular attention to tufts and seams. Allow to dry thoroughly before using. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without cover. Vacuum entire area once dry. Since vacuuming stirs dust up in the air those with allergies should have another person vacuum or should wear a dust mask and use vacuum with a high efficiency particulate (HEPA) filter.

Fleas and Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, with special attention to cracks and crevices around baseboards and window and door frames. Spot treat floors and floor coverings if necessary. Infested upholstered furniture may also be treated with this product. Spray to the point of dampness but not runoff. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

To kill Lice and Louse Eggs: *Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Do not use on sheets or pillowcases. Spray each square foot for three seconds. Allow all sprayed articles to dry thoroughly before use.

FOR DIRECT APPLICATION TO DOGS (OVER 12 WEEKS OF AGE):

TO CONTROL Fleas, Ticks, and Lice: Hold the container upright. Spray at a distance of 8-12 inches. Starting at the tail, spray over entire hair coat while moving the dispenser rapidly; making sure the coat is thoroughly wetted to the skin. While spraying, fluff the hair so the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Spray against the lay of the hair, roughing the hair on long-haired dogs. Do not spray into the eyes, face or genitalia. For best results in killing ticks, spray directly on the tick. Allow dog to air dry or blow dry. Do not towel dry. Do not reapply more than once every 14 days.

Use protective gloves or mitts when applying product. DO NOT USE ON CATS OR KITTENS.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as **Whiteflies, Aphids, Exposed Thrips, Spider Mites, Red Mites and Leafminers.**

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against **Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms.** When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F (32°C). Over application may cause damage. Contact insects directly whenever possible. Re-treat if infestation occurs, but not more than once every two weeks.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry area away from children and pets and away from heat, sparks and open flame. Do not transport or store below 32°F (0°C).

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do Not Puncture or Incinerate. **If empty:** Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions.

HMS RATINGS: Health - 1, Flammability - 1, Reactivity - 0, Personal - B.

Made In USA

PACKAGING INFORMATION

12-20 oz. cans per case, 16 oz. net weight