Safety Data Sheet
Dazzle

SECTION I - IDENTIFICATION

PRODUCT IDENTIFIER: Dazzle
PRODUCT CODE: 2100
RECOMMENDED USE: All Surface Cleaner, Degreaser and Deodorizer
RESTRICTIONS ON USE: None known.
COMPANY NAME: QuestSpecialty
COMPANY ADDRESS: P.O. Box 624, Brenham, TX 77834
COMPANY PHONE: 800-231-0454
EMERGENCY PHONE: 800-255-3924

SECTION II – HAZARDS IDENTIFICATION

CLASSIFICATION: Aerosols Category 3
Eye Irritant: Category 2A
HAZARD STATEMENT(S): WARNING: Pressurized container: may burst if heated. Causes serious eye irritation.
This product contains the following percentage of chemicals of unknown toxicity**:** N/A
PRECAUTIONARY STATEMENTS: Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No Smoking. Do not pierce or burn even after use. Protect from sunlight. Do not expose to temperature exceeding 50°C/ 122°F. Wash hands thoroughly after handling. Wear eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical help.
SYMBOL:



HAZARDS NOT OTHERWISE CLASSIFIED: N/A

SECTION III – COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
n-Butane	106-97-8	1-5%
Propane	74-98-6	1-5%
Alcohols, C6-12, ethoxylated propoxylated	68937-66-6	1-5%

Trade Secret Information: A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

SECTION IV - FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Seek medical attention if irritation persists.
INGESTION: Rinse mouth with water. Do not induce vomiting unless directed by medical authority. Seek medical attention if irritation develops.
INHALATION: Move to fresh air. If irritation or other symptoms develop, seek medical attention.
SKIN: Wash thoroughly with soap and water. Continue rinsing skin as needed. Seek medical attention if irritation or rash develops.
ACUTE HEALTH HAZARDS: Causes serious eye irritation.
CHRONIC HEALTH HAZARDS: None known.
NOTE TO PHYSICIAN: Treatment of overexposure should be directed at the control of symptoms and the clinical condition.

SECTION V – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry chemical, foam or carbon dioxide.
UNSUITABLE EXTINGUISHING MEDIA: N/A
SPECIAL FIRE FIGHTING PROCEDURES: Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Avoid contact with skin and breathing smoke, fumes and decomposition products. Cool fire exposed containers with water fog to prevent bursting.
UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon and nitrogen.

SECTION VI – ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.
SPILL: Absorb with non-combustible material like vermiculite, sand or earth and rinse with small amount of soapy water. Do not allow to drain into sewers or storm drains. Dispose of in accordance with local, state and federal regulations.
WASTE DISPOSAL: Dispose of in accordance with local, state and federal regulations. Do not reuse, puncture or incinerate container. Wrap container and place in trash collection.
RCRA STATUS: Waste likely considered non-hazardous under RCRA, however, product should be fully characterized prior to disposal (40 CFR 261).

SECTION VII – HANDLING AND STORAGE

HANDLING AND STORAGE: Do not use or store near heat, open flames or other sources of ignition. Wear proper personal protective equipment when using this product. Avoid contact with eyes. Protect from sunlight. Store in a well ventilated area. Do not expose to temperatures exceeding 50 °C/122 °F. Do not pierce or burn, even after use.
OTHER PRECAUTIONS: Keep out of the reach of children. Read and follow the directions on the product label. They are the best guide to using the product in the most effective manner. The label also gives you the necessary safety precautions to protect your health.
INCOMPATIBILITY: None known.

SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
n-Butane	Not Established	1000 ppm
Propane	1000 ppm	1000 ppm
Alcohols, C6-12, ethoxylated propoxylated	Not Established	Not Established

ENGINEERING CONTROLS / VENTILATION: General ventilation adequate but local exhaust/ventilation preferred.
RESPIRATORY PROTECTION: Not required with adequate ventilation. Wear NIOSH/MSHA approved respiratory protection if used in confined, poorly ventilated areas.
PERSONAL PROTECTIVE EQUIPMENT: Safety glasses/goggles.
ADDITIONAL MEASURES: Do not touch eyes when using this product. Wash hands thoroughly with soap and water after use.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Foam aerosol spray.
ODOR: Floral scent
ODOR THRESHOLD: N/D
pH: 10.3-11.3
MELTING POINT/FREEZING POINT: < 32°F (0°C)
INITIAL BOILING POINT AND BOILING RANGE: > 212 °F (100 °C)
FLASH POINT: N/D
EVAPORATION RATE: Slow
FLAMMABILITY(solid/gas): Not considered a flammable aerosol or an extremely flammable aerosol by OSHA (29CFR 1910.1200)
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:
LOWER FLAMMABILITY LIMIT: N/D
UPPER FLAMMABILITY LIMIT: N/D
EXPLOSIVE LIMIT LOWER (%): N/D
EXPLOISVE LIMIT UPPER (%): N/D
VAPOR PRESSURE (mm Hg): N/D
VAPOR DENSITY (AIR=1): N/D
RELATIVE DENSITY (H2O=1): 1.00 - 1.01 @ 77 °F (25 °C)
SOLUBILITY(IES): 100% water.
PARTITION COEFFICIENT: n-OCTANOL/WATER (Kow): N/D
AUTOIGNITION TEMPERATURE: N/D
DECOMPOSITION TEMPERATURE: N/D
VISCOSITY: N/D

SECTION X – STABILITY AND REACTIVITY

REACTIVITY: None known.
CHEMICAL STABILITY: Stable under normal storage conditions.
POSSIBLE HAZARDOUS REACTIONS: None known.
CONDITIONS TO AVOID: Do not mix with strong acids. Temperatures greater than 122 °F may cause bursting.
INCOMPATIBLE MATERIALS: None known.
HAZARDOUS DECOMPOSITION PRODUCTS: Stable under normal storage conditions.

SECTION XI – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: n-Butane (106-97-8): LC_{50} (Inhalation, Rat, 4h) 30957 mg/m^3. **Propane** (74-98-6): LC_{50} (Inhalation, Rat, 4h) 658 mg/L. **Alcohols, C6-12, ethoxylated propoxylated** (68937-66-6): LD_{50} (Oral, Rat) > 5050 mg/kg; LD_{50} (Dermal, Rabbit) > 2000 mg/kg.
ROUTES OF ENTRY: Eyes, Inhalation, Skin
EYES: Causes serious irritation, redness, tearing.
INGESTION: Not a likely route of exposure under normal product handling conditions. May cause gastrointestinal irritation.
INHALATION: No hazards under normal use due to its low volatility. If vapor is present in high concentrations, upper respiratory tract irritation may occur.
SKIN: May cause mild irritation, localized defatting, dryness.
MEDICAL CONDITION AGGRAVATED: May aggravate pre-existing medical conditions.
ACUTE HEALTH HAZARDS: Causes serious eye irritation.
CHRONIC HEALTH HAZARDS: None known.
CARCINOGENICITY: OSHA: No **ACGIH:** No **NTP:** No **IARC:** No **OTHER:** N/A

SECTION XII – ECOLOGICAL INFORMATION

ECOTOXICITY: This material in not anticipated to significantly bioaccumulate. This material is expected to quickly evaporate from soil and water. **Alcohols, C6-12, ethoxylated, propoxylated** (68937-66-6): LC_{50} (*Pimepahles promelas*, 96h): 22.5 mg/L; EC_{50} (*Daphnia magna*, 48h): 14.4 mg/L.
PERSISTENCE AND DEGRADABILITY: Component or components this product is biodegradable.
BIOACCUMULATIVE POTENTIAL: Component or components this product is not expected to bioaccumulate.
MOBILITY IN SOIL: This product is mobile in soil.
OTHER ADVERSE EFFECTS: None known.

SECTION XIII – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with local, state and federal regulations. Do not reuse, puncture or incinerate container. Wrap container and place in trash collection.
RCRA STATUS: Waste likely considered non-hazardous under RCRA, however, product should be fully characterized prior to disposal (40 CFR 261).

SECTION XIV - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Aerosols, Ltd. Qty.
HAZARD CLASS/DIVISION: 2.2
UN/NA NUMBER: UN1950
PACKING GROUP: N/A

AIR SHIPMENT
PROPER SHIPPING NAME: Aerosols, Non-Flammable.
HAZARD CLASS/DIVISION: 2.2
UN/NA NUMBER: UN1950
PACKING GROUP: N/A

SHIPPING BY WATER:
VESSEL (IMO/IMDG)
PROPER SHIPPING NAME: Aerosols.
HAZARD CLASS/DIVISION: 2.2
UN/NA NUMBER: UN1950
PACKING GROUP: N/A

ENVIRONMENTAL HAZARDS WATER: N/A

SECTION XV - REGULATORY INFORMATION

TSCA STATUS: All Chemicals are listed or exempt.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Sodium nitrite (7632-00-0) Reportable Quantity = 100 pounds.

SARA 311/312 HAZARD CATEGORIES: Physical & health hazards.

SARA 313 REPORTABLE INGREDIENTS: This product does not contain any chemical components with known CAS numbers that exceed the threshold (*de minimis*) reporting levels established by SARA Title III, Section 313.

CLEAN WATER ACT: None.

STATE REGULATIONS: California Proposition 65: This product contains no known chemicals regulated by California Proposition 65.

INTERNATIONAL REGULATIONS: Butane (106-97-8): Listed or exempted on the AICS (Australian Inventory of Chemical Substances), Canadian DSL (Domestic Substances List), IECSC (Inventory of Existing Chemical Substances Produced or Imported in China), EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances), Japanese ENCS (Existing & New Chemical Substances), Korean ECL (Existing Chemicals List), NZIoC (New Zealand Inventory of Chemicals), and PICCS (Philippines Inventory of Chemicals and Chemical Substances). **Propane** (74-98-6): Listed or exempted on the AICS (Australian Inventory of Chemical Substances), Canadian DSL (Domestic Substances List), IECSC (Inventory of Existing Chemical Substances Produced or Imported in China), EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances), Japanese ENCS (Existing & New Chemical Substances), Korean ECL (Existing Chemicals List), NZIoC (New Zealand Inventory of Chemicals), and PICCS (Philippines Inventory of Chemicals and Chemical Substances).

VOLATILE ORGANIC COMPOUNDS (VOC): 5%

NFPA HEALTH:	2	**HMIS HEALTH:**	2
NFPA FLAMMABILITY:	1	**HMIS FLAMMABILITY:**	1
NFPA REACTIVITY:	0	**HMIS REACTIVITY:**	0
NFPA OTHER:	None	**HMIS PROTECTION:**	A

SECTION XVI - OTHER INFORMATION

PREPARATION BY: William Bell
DATE PREPARED: 02/23/2022
REVISION DATE: 03/05/2026

N/A = Not Applicable; N/D = Not Determined

DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty expressed or inferred regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.